

EN

**HASSLACHER**  
**NORICA TIMBER**

From **wood** to **wonders**.



# Pellets

Renewable energy supplied by nature.



# At a glance

## HASSLACHER NORICA TIMBER'S pellets are in balance with nature

- ⊕ The **natural heating material** is made out of pure, dry sawdust and wood chippings compressed with purely biogenic pressing agents.
- ⊕ These **renewables raw materials** valuably contributes to the conservation of our environment.
- ⊕ The pellets are **CO<sub>2</sub>-neutral**; while combusting, they only release as much CO<sub>2</sub> as the tree absorbed during its growth.
- ⊕ They guarantee a **100% reliable supply**, independent from oil and gas and readily available in adequate quantities.
- ⊕ Low-dust, clean, fast and easy refilling.
- ⊕ **Quality control** in accordance to ENplus-A1
- ⊕ **Native coniferous wood from the region** obtained entirely from sustainable forestry management.

## Sustainability

The HASSLACHER group stands for a careful use of wood as a resource. Our raw materials come from sustainable and controlled forestry. Our locations are certified according to the strict PEFC standards.



# Technical data

## Product standard

EN ISO 17225-2

## Certifications

- ⊕ DINplus certification programme for “Wood pellets for use in small furnaces”, certificate 7A120
- ⊕ ENplus-A1 – European Pellet Council – ENplus Manual for the certification of wood pellets for heating purposes, certificate AT010

## Characteristic values according to ENplus-A1

Diameter		6 mm	ISO 17829
Length	<	40 mm	ISO 17829
Water content	<	10 Ma%	ISO 18134
Ash content	<	0.70 Ma%	ISO 18122
M-strength	>	98 Ma%	ISO 17831-1
Fines content (<3.15 mm)	<	0.5 w%	ISO 18846
Calorific value	>	4.6 kWh/kg	ISO 18125
Bulk density	<	750 kg/m <sup>3</sup>	ISO 17828
Ash melting temperature	>	1,200° C	CEN/TC 15370-1

## Storage

Store product in dry conditions. The pellets must be protected against moisture.

## Application

Use only in approved and appropriate heating appliances in compliance with the manufacturer’s instruction and statutory regulations.

## Packaging units

Bagged goods	15 kg/bag 72 bags/pallet equivalent to 1,080 kg/pallet
Big Bag	approx. 1,000 kg
Pump silo truck	3 to 25 t/delivery
Batches on truck	Up to 25 t/delivery

## Certification

The current certificates are available in the download area of our website at [HASSLACHER.COM](https://www.hasslacher.com).





# HASSLACHER NORICA TIMBER

From **wood** to **wonders**.

## HASSLACHER group

Feistritz 1 | 9751 Sachsenburg | Austria  
T +43 4769 22 49-0 | F +43 4769 22 49-129  
[info@hasslacher.com](mailto:info@hasslacher.com) | [hasslacher.com](http://hasslacher.com)

HNT PF Pellets EN 20230406

UPPERCUT.at | Foto: © JOST&BAYER