

## Declaration of Performance

No.: DOP\_NTC\_BSH-BI

1. Unique product type identification code:

**HASSLACHER GLT Birch**

2. Intended use of the building product according to harmonized technical specification:

**Buildings and Bridges**

3. Name, registered trade name or brand, along with the address of the producer according to Article 11 Paragraph 5 construction products regulation:

**NORITEC Holzindustrie GmbH**

**Feistritz 1**

**9751 Sachsenburg**

**Austria**

4. Name and address of the authorized agent for the tasks referred to in Article 12 Paragraph 2 construction products regulation:

**No authorized agent**

5. System of assessment and verification of performance constancy pursuant to Appendix V of the construction products regulation:

**System 1**

6. If the building product is regulated by a harmonized standard:

**Not applicable**

7. Notified Body(ies):

**No. 1359**

8. If the building product is regulated by an European technical assessment:

**ETA-19/0031 of 12. 08. 2021**

9. Declaration of performance:

Main Features and Characteristics		Performance
<b>Mechanical characteristics of glued laminated products</b>	Characteristics of timber	NPD
	Bending strength	Birch  Characteristic properties according to ETA-19/0031
	Compression strength	
	Tensile strength	
	Shear strength	
	Modulus of elasticity	
	Bonding strength	
	Strength of finger joints	
	Additional for glued laminated timber with large finger joints: Bending strength of large finger joints	NPD
	Geometrical data	NPD
<b>Resistance to fire</b>		NPD
<b>Bonding strength</b>	Glue line integrity of surface bonding	Delamination test according EN 14080, Annex C, Test method B
	Glue lines between components of glued laminated timber	NPD
	Large finger joints	NPD
<b>Reaction to fire</b>		D-s2, d0
<b>Emission of formaldehyde</b>		E1
<b>Release of other dangerous substances</b>		NPD
<b>Durability of bonding strength</b>	Species	Birch
	Adhesives	MUF / Type I according EN 301 I 90 FJ 0,1 S w I 90 GP 0,3 S w
<b>Durability against biological attack</b>	Lamination without preservative treatment	Durability class 5 according EN 350-2
	Lamination with preservative treatment	NPD

**NORITEC Holzindustrie GmbH**  
Feistritz 1 | 9751 Sachsenburg | Austria  
T +43 4769 22 49-0 | F +43 4769 22 49-129  
info@hasslacher.com | [hasslacher.com](http://hasslacher.com)

**HASSLACHER  
NORICA TIMBER**  
From **wood** to **wonders**.

10. The performance of the previous product corresponds with the declared performance/the declared performances. For the creation of this performance in accordance with the EU regulation No. 305/2011 the manufacturer is uniquely responsible for.

Signed in the name of the manufacturer:

Gerhard Göritzer / managing director NORITEC Holzindustrie GmbH

Name and position

**NORITEC  
Holzindustrie GmbH**  
9751 Sachsenburg / Feistritz 1  
AUSTRIA - [www.hasslacher.at](http://www.hasslacher.at)  
T +43 4769 2249 236

*Gerhard Göritzer*

Ein Unternehmen der HASSLACHER NORICA TIMBER Gruppe  
A company of the HASSLACHER NORICA TIMBER Group

**HASSLACHER  
NORICA TIMBER**

Sachsenburg, 23rd of August 2022

Place and date of issue

Stamp/signature