

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation - CPR) this certificate applies to the construction product

HASSLACHER CROSS LAMINATED TIMBER

according to the product specification listed in the current addendum to this certificate placed on the market

Company

HASSLACHER HOLDING GMBH

Feistritz 1

AT-9751 Sachsenburg

and produced in the manufacturing plant

Noritec Holzindustrie GmbH

Latzendorf 100

AT-9832 Stall

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in

ETA-12/0281, issued on 09.11.2020

and

EAD 130005-00-0304

under system 1 for the performance set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

CERTIFICATE OF CONSTANCY OF PERFORMANCE


Certificate number: 1359-CPR-0734

Date of first issue: 22.08.2017

Date of issuance: 25.02.2021

This certificate will remain valid as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

For the validity of this certificate see www.holzforchung.at.



Dr. Andreas Neumüller
Authorised signatory



Dr. Manfred Brandstätter
Head of the Certification Body

Annex to Certificate 1359-CPR-0734

Date of issue: 25.02.2021

Scope of certification for the following products:

HASSLACHER CROSS LAMINATED TIMBER

Solid wood slabs to be used as structural elements in building

Structure:	min. 3-layer layers arranged perpendicular (angle of 90°) 3 - 11-layers
Thickness:	57 - 360 mm
Width x length:	max. 4,0 x 20,0 m
Classes of utilisation:	1, 2
Wood species:	PCAB – spruce/ ABAL - fir PNSY – pine, LADC - larch
Strength classes	
- CL26E11.8	Laminations: C24/T14
- CL36E14.7	Laminations: - Cover layer C40/T26 - Inner layer C24/T14
Adhesives – Finger joints:	Type I: MUF according to EN 301
Adhesives - Surface bonding:	Type I: MUF according to EN 301