GEMSON GMBH

Lainach 113 | 9833 Rangersdorf | Austria T +43 4822 20 655 | F +43 4822 20 655 20 info@hasslacher.com | hasslacher.com



Declaration of Performance

No.: DOP_GMS_MHP_SWP/1 NS - SWP/3 NS

1. Unique product type identification code:

Single and multi layer wood panels from softwood for the non-load-bearing area/use according EN 13986; SWP/1 NS, SWP/2 NS and SWP/3 NS

2. Intended use of the building product according to harmonized technical specification:

Solid wood-based material for non load bearing building products according to EN 13986

3. Name, registered trade name or brand, along with the address of the producer according to Article 11 Paragraph 5 construction products regulation:

GEMSON GmbH Lainach 113

9833 Rangersdorf

Austria

4. Name and address of the authorized agent for the tasks referred to in Article 12 Paragraph 2 construction products regulation:

No authorized agent

5. System of assessment and verification of performance constancy pursuant to Appendix V of the construction products regulation:

System 4

6. If the building product is regulated by a harmonized standard:

EN 13986

7. Notified Body(ies):

No. 1359

8. If the building product is regulated by an European technical assessment:

Not applicable

GEMSON GMBH

Lainach 113 | 9833 Rangersdorf | Austria T +43 4822 20 655 | F +43 4822 20 655 20 info@hasslacher.com | hasslacher.com



9. Declaration of performance:

Main Features and Characteristics	Performance	Harmonised Technical Specification
Species	Spruce/Fir, Pine	
Bending strength	NPD	
Modulus of elasticity	NPD	
Durability - Bonding strength and Adhesion quality	according EN 14080, Annex C, Test method B	
Durability - Resistance to transversal action	NPD	
Durability - Increase in thickness	NPD	
Durability - Resistance to humidity	NPD	
Emission of formaldehyde	E1	
Reaction to fire	D-s2, d0	
Permeability to water vapour	NPD	EN 13986
Isolation of ambient noise	NPD	
Sound absorption	NPD	
Thermal conductivity	NPD	
Strength and stiffness for load-bearing use	NPD	
Mechanical durability	NPD	
Durability against biological attack - untreated	Durability class 5 according EN 350-2	
Durability against biological attack - treated	NPD	
Content of pentachlorphenol	NPD	
Resistance to contact pressure	NPD	

GEMSON GMBH

Lainach 113 | 9833 Rangersdorf | Austria T +43 4822 20 655 | F +43 4822 20 655 20 info@hasslacher.com | hasslacher.com



10. The performance of the previous product corresponds with the declared performance/the declared performances. For the creation of this performance in accordance with the EU regulation No. 305/2011 the manufacturer is uniquely responsible for.

Signed in the name of the manufacturer:

Gerhard Göritzer / managing director GEMSON GmbH

Name and position

9837 Rangersdorf Lainach 113
Tell 43 (0)6622/20655 Eext 20
Mail: Info@gamson.at

Rangersdorf, 01st September 2022

Place and date of issue Stamp/signature